SPIDER BITE GUIDE

Report the injury 24/7 using injury reporting hotline (877) 502-9466

BLACK WIDOW



PHYSICAL CHARACTERISTICS

- · Shiny black body with long legs
- · Red hourglass on underside of abdominal area
- · Entire body, including legs, is about 1 inch (2.5 cm) across

BITE SYMPTOMS

- Muscle cramps/spasms that start near the bite and then spread and increase in severity for 6 to 12 hours
- · Chills, fever, sweating, nausea, or vomiting
- · Severe belly, back, or chest pain
- · Headache





BROWN RECLUSE SPIDERS



SKIN DAMAGE

BITE PAIN

PHYSICAL CHARACTERISTICS



- · Golden or dark brown body with long legs
- · Dark violin shape on top of the leg attachment segment
- Six eyes a pair in front and a pair on both sides rather than the usual spider pattern of eight eyes in two rows of four
- · Central body is 0.25 to 0.75 inches (6 to 19 mm) long




- · Pain or redness at the site of the bite
- A deep sore (ulcer) that forms where you were bitten, with the skin at the center turning purple
- · Fever, chills or nausea
- · Joint pain/weakness





HOBO SPIDERS



PHYSICAL CHARACTERISTICS

- Range in size from 9-15 millimeters
- · Subdued coloration, mixture of brown and rust earth shades
- Herringbone pattern on the top side of their abdomens

BITE SYMPTOMS

- · Bite can go unnoticed
- · Headache that lasts up to 7 days
- · Bone or joint pain and muscle weakness
- · Often blamed for necrotic wounds





TREATMENT

- Clean the bite with mild soap and water.

 Apply an antibiotic ointment to help prevent infection.
- Apply a cool damp cloth to the bite.

 This helps reduce pain and swelling.
- If the bite is on an arm or leg, elevate it.
- **⊘** Take an over-the-counter pain reliever as needed
- Observe the bite for signs of infection
- Tetanus booster shot may be recommended if you haven't had one in the last five years.
- Antibiotics may be prescribed if the bite becomes infected.

If a black widow bite is causing severe pain or life-threatening symptoms, you may be given antivenom, which can be injected into a large muscle or intravenously.

